

Appendix

Incubation period (period from infection to appearance of illness) of measles ranges from seven days to up to 21 days. The general public who has visited the public places during the period listed below should observe if they develop relevant symptoms, such as fever, skin rash, cough, runny nose and red eyes in seven to 21 days (medical surveillance period). If symptoms arise, they should wear surgical masks, stop going to work or school and avoid going to crowded places. They should also avoid contact with non-immune persons, especially persons with weakened immunity, pregnant women and children aged below one. Those suspected to have infected are advised to seek medical attention as early as possible and reveal relevant contact history of measles to healthcare professionals

List of public places the measles patient visited during the period of communicability:

	Date	Time	Place	End of medical surveillance for contacts
Male/aged 30	April 1	11:00 – 22:00	Level 5, Terminal 2, Hong Kong International Airport (HKIA)	April 22
	April 2	12:00 – 22:00	Level 5, Terminal 2, HKIA	April 23
	April 3	11:00 – 22:00	Level 5, Terminal 2, HKIA	April 24
	April 4	12:00 – 14:00	Level 5, Terminal 2, HKIA	April 25
		15:00 – 16:30	Human Health Medical Centre Shop 20, MTR Tung Chung Station	
	April 5	11:30 – 22:00	Level 5, Terminal 2, HKIA	April 26