

Appendix

Incubation period (period from infection to appearance of illness) of measles ranges from seven days to up to 21 days. The general public who has visited the public places during the period listed below should observe if they develop relevant symptoms, such as fever, skin rash, cough, runny nose and red eyes in seven to 21 days (medical surveillance period). If symptoms arise, they should wear surgical masks, stop going to work or school and avoid going to crowded places. They should also avoid contact with non-immune persons, especially persons with weakened immunity, pregnant women and children aged below one. Those suspected to have infected are advised to seek medical attention as early as possible and reveal relevant contact history of measles to healthcare professionals

List of public places the measles patients visited during the period of communicability:

	Date	Time	Place	End of medical surveillance for contacts
Male /aged 30	May 7	Around 09:15	Flight UO848 from Hong Kong to Tokyo	May 28
	May 11	Around 01:00	Flight UO33 from Tokyo to Hong Kong	June 1
	May 11	13:52-13:57	Accident and Emergency Department, Kwong Wah Hospital	June 1
Female / aged 25	May 7	09:30-19:00	Shop G124-125A & G220, Harbour City, 11 Canton Road, Tsim Sha Tsui	May 28
	May 8	11:00-22:30	Shop G124-125A & G220, Harbour City, 11 Canton Road, Tsim Sha Tsui	May 29
	May 11	13:50-13:55	Accident and Emergency Department, Kwong Wah Hospital	June 1
Female / aged 25	May 6	09:30-19:00	Shop G124-125A & G220, Harbour City, 11 Canton Road, Tsim Sha Tsui	May 27
	May 8	09:30-19:00	Shop G124-125A & G220, Harbour City, 11 Canton Road,	May 29

			Tsim Sha Tsui	
	May 9	13:00-22:30	Shop G124-125A & G220, Harbour City, 11 Canton Road, Tsim Sha Tsui	May 30
	May 11	01:07-01:12	Accident and Emergency Department, Tseung Kwan O Hospital	June 1