

## Legislative Council Q11

### Annex 1

#### Prevalence of self-reported doctor-diagnosed depression by age and gender

Age Group	Male		Female		Total <sup>3</sup>	
	Prevalence rate <sup>1</sup>	No. of patients <sup>2</sup>	Prevalence rate <sup>1</sup>	No. of patients <sup>2</sup>	Prevalence rate <sup>1</sup>	No. of patients <sup>2</sup>
15-24	0.5%	2,100	1.5%	6,700	1.0%	8,900
25-34	0.3%	1,300	1.6%	8,400	1.0%	9,700
35-44	0.1%	700	2.7%	20,400	1.6%	21,100
45-54	0.7%	3,200	2.2%	14,000	1.5%	17,200
55-64	1.0%	3,100	2.8%	8,900	1.9%	12,100
65 and above	1.8%	6,700	1.7%	7,100	1.7%	13,800
<b>Total<sup>3</sup></b>	<b>0.7%</b>	<b>17,200</b>	<b>2.1%</b>	<b>65,500</b>	<b>1.5%</b>	<b>82,700</b>

Base: People aged 15 and above

Source: Population Health Survey 2003/04

Note :

1. Prevalence rate refers to the percentage of patients in the total population of the respective age and gender groups.
2. A total of 7,084 respondents were interviewed in the Survey. According to the representativeness of the study sample, these respondents represented a population of about 5.68 million. The number of patients and prevalence of self-reported doctor-diagnosed depression were estimated from the results of the Survey.
3. Figures may not add up to the total due to rounding of figures under individual items.

## Legislative Council Q11

### Annex 2

#### Prevalence of self-reported doctor-diagnosed depression by occupation

<b>Occupational Group</b>	<b>Prevalence rate<sup>1</sup></b>	<b>No. of patients<sup>2</sup></b>
Managerial/ Professional worker	0.9%	6,100
Clerk	0.8%	5,400
Service worker	1.4%	9,800
Blue collar worker	1.0%	8,700
Not working	1.9%	51,500
Unknown/No response	1.0%	1,200
<b>Total<sup>3</sup></b>	<b>1.5%</b>	<b>82,700</b>

Base: People aged 15 and above

Source: Population Health Survey 2003/04

Note :

1. Prevalence rate refers to the percentage of patients in the total population of the respective occupational groups.
2. A total of 7,084 respondents were interviewed in the Survey. According to the representativeness of the study sample, those respondents represented a population of about 5.68 million. The number of patients and prevalence of self-reported doctor-diagnosed depression were estimated from the results of the Survey.
3. Figures may not add up to the total due to rounding of figures under individual items.

## Legislative Council Q11

### Annex 3

#### Number of patients diagnosed with depression and receiving HA's psychiatric in-patient and specialist out-patient services by age and gender

		<b>2006-07</b>	<b>2007-08</b>	<b>2008-09</b>	<b>2009-10</b>	<b>2010-11</b>
Age	0-17	300	300	300	400	400
	18-64	26,300	28,300	30,200	33,100	36,000
	65 and above	7,800	8,200	8,600	9,100	9,500
Gender	Male	9,700	10,200	10,800	11,900	12,700
	Female	24,800	26,600	28,300	30,700	33,100
<b>Total (Round figures)</b>		<b>34,400</b>	<b>36,800</b>	<b>39,100</b>	<b>42,600</b>	<b>45,800</b>

(Note: The above figures are rounded to the nearest hundred)